

Clean Version of substitute specification

TITLE

Calla Lily Plant Named 'Jack of Hearts'

GENUS AND SPECIES

[0001] *Zantedeschia* spp.

VARIETY DENOMINATION

[0002] 'Jack of Hearts'

BACKGROUND OF THE NEW PLANT

[0003] The present invention comprises a new and distinct cultivar of calla lily, botanically known as *Zantedeschia* spp, and hereinafter referred to by the cultivar name 'Jack of Hearts'. The new cultivar is asexually reproduced from vegetative cuttings and tissue culture resulting from the cross of the female parent 'Sunglow' (patent status unknown) and the male parent, an unknown seedling from the Bloomz breeding pool (not patented).

[0004] 'Jack of Hearts' is a product of a planned breeding program intended to create new calla lily plants with red spathes.

[0005] The new cultivar was created in 2000 in Tauranga New Zealand and has been asexually reproduced repeatedly by vegetative cuttings and tissue culture in Tauranga, New Zealand and Bangalore, India over a 2 year period. The present invention has been found to retain its distinctive characteristics through successive propagations; and this novelty is firmly fixed.

DESCRIPTION OF PHOTOGRAPH

[0006] This new calla lily plant is illustrated by the accompanying photographs which show blooms, buds, and foliage of the plant in full color, the colors shown being as true as can be reasonably obtained by conventional photographic procedures.

[0007] FIG 1 shows the mature inflorescence;
FIG 2 shows the overall plant habit;
FIG 3 shows a close-up of the leaf.

DESCRIPTION OF THE NEW CULTIVAR

[0008] The following detailed descriptions set forth the distinctive characteristics of 'Jack of Hearts'. The data that defines these characteristics were collected from asexual reproductions carried out in New Zealand. The plant history was taken on 2 year old plants based on a 4 cm diameter tuber under New Zealand Summer conditions. Color references are primarily to the RHS Colour Chart of The Royal Horticultural Society of London (RHS).

THE PLANT

[0009] *Classification:*

Botanical: *Zantedeschia* spp.

Commercial: Calla lily

Variety: 'Jack of Hearts'

[0010] *Size*

Form: Erect

Height of the leaf canopy above the soil: 25-30 cm

Height of top of inflorescence above the soil: 25-35 cm

Diameter: 20-30 cm

Number of inflorescence per tuber size:

Tuber diameter 3 cm	2-3
---------------------	-----

Tuber diameter 4 cm	3-6
---------------------	-----

Tuber diameter 5 cm	5-8
---------------------	-----

[0011] *Branches*

Character: Strong

Color: Upper is green RHS 146C; lower is green RHS 146D; base is white RHS 155B

Average Number: 3-5

[0012] *Leaves*

Size: Width 4-6 cm; length 14-20 cm

Shape: Ovate

Color: Upper is green RHS 137C; lower is green RHS 137B

Maculation (leaf spots): Medium density; white RHS 155C

Apex: Acute to apiculate

Margin: Moderately wavy

Margin Color: Yellow-Green RHS 137B

Veins: Pinnate

Surface Quality: Leathery

[0013] *Petiole (leaf stalk)*

Length: 10-15 cm

Color: Base is Green RHS 146D; upper is green RHS 146C

[0014] *Roots*

Color: White

Branching: Not branched, attached to the top of the tuber at the apices

Disease resistance: No susceptibility noted to date

Pest resistance: No susceptibility noted to date

THE INFLORESCENCE**[0015] *Spathe (flower body)***

Size: Length 6-8 cm; width 4-5 cm

Color: Upper is Dark red RHS 60B ; lower is dark red RHS 60C

Veins: Present, dark red RHS 60A

Shape: Cupped

[0016] *Spadix (reproductive organs)*

Size: Length 2-3 cm; diameter 0.5-0.8 cm

Color: Base is green RHS 146D; Upper is dark red RHS 60C

Position relative to spathe: Upright

[0017] *Peduncle (flower stem)*

Size: 25-35 cm

Color: Base is White RHS 155B; upper is green RHS 146B

[0018] *Reproductive organs*

Location of female organs: Basal position of the spadix

Location of male organs: Upper position of the spadix

Perianth (the floral envelope - calyx and corolla) Conspicuous

Stamens: Not visible before pollen release

Pistil: 18-25 per spadix; red-green

[0019] *Miscellaneous*

Time to produce a finished flowering plant: 6-8 weeks.

Lastingness: 1-3 weeks.

Fragrance: None

Fruit: None

Production: 18-25 berries

Color: Predominantly green RHS 146A

COMPARISON WITH KNOWN CULTIVARS

[0020] When the instant plant is compared to 'Pink Pot' (co-pending U. S. Patent application Serial No. 10/382,759) 'Jack of Hearts' has a coarser maculation on the leaves and a flower color that is more pink red instead of bright pink. 'Sunglow,' the female parent, has a yellow to orange spathe and medium green ovate foliage with light maculation while 'Jack of Hearts' has a pink red spathe and the foliage has medium maculation. The male parent has a red-purple spathe and light maculation of the foliage while 'Jack of Hearts' has a pink red spathe and the foliage has medium maculation.